





REVISONS			
REV	DESCRIPTION, ECN, EAR NO.	DATE	APP'D
A	PROPOSAL	SEP 28/15	JS



NOTES:

- MATERIAL
CAGE-PRESS FIT: COPPER ALLOY, NICKEL PLATED

CONNECTOR-PRESS FIT: PLASTIC HOUSING, FLAMMABILITY RATING UL94 V-0.

CONTACTS: PHOSPHOR BRONZE
PLATING OPTION: SEE AMPHENOL PART ON CONFIGURATION

HEAT SINK: ALUMINIUM ALLOY

EMI FINGERS: PHOSPHOR BRONZE WITH NICKEL PLATING



 DIMENSION 29.01 IS IN UNPLUGGED STATE



UNLESS SPECIFIED OTHERWISE		DRAWN	Michael.S	SEP 28/15
PRIMARY UNITS	MILLIMETERS	CHECKED	Chigow.X	SEP 28/15
SECONDARY	MILLIMETERS	M.E. APP'D	Andy.C	SEP 28/15
REFERENCE IN PARENTHESES		Q.A. APP'D	Joe.P	SEP 28/15
GENERAL TOLERANCES		DWG APP'D	Jason.S	SEP 28/15
1 DECIMAL PLACE	±0.25	ENG. REL. NO.		
2 DECIMAL PLACES	±0.15	REF.		
ANGULAR DEGREES	±0.5°	THIRD ANGLE PROJECTION		DO NOT SCALE DRAWING

Amphenol High Speed Interconnects A Division of Amphenol Corp. www.amphenol-highspeed.com				
UltraPort QSFP+ 2X1 STACKED COMBO THROUGH BEZEL WITH HEAT SINK				
P-U95-Z175-407L-3C1				REV A
CODE ID NO.	03554	DWG SIZE:	C	SCALE: 1:1
		SHEET 1 OF 3		

REVISONS			
REV	DESCRIPTION, ECN, EAR NO.	DATE	APP'D
A	PROPOSAL	SEP 28/15	JS



UNLESS SPECIFIED OTHERWISE	DRAWN	Michael.S	SEP 28/15
PRIMARY UNITS	MILLIMETERS	CHECKED	Chigow.X
SECONDARY	MILLIMETERS	M.E. APP'D	Andy.C
REFERENCE IN PARENTHESES		Q.A. APP'D	Joe.P
GENERAL TOLERANCES		DWG APP'D	Jason.S
1 DECIMAL PLACE	±0.25	ENG. REL. NO.	SEP 28/15
2 DECIMAL PLACES	±0.15	REF.	
ANGULAR DEGREES	±0.5°	THIRD ANGLE PROJECTION	

Amphenol High Speed Interconnects A Division of Amphenol Corp. www.amphenol-highspeed.com			
UltraPort QSFP+ 2X1 STACKED COMBO THROUGH BEZEL WITH HEAT SINK			
DWG. NO.	P-U95-Z175-407L-3C1		REV A
CODE ID NO.	03554	DWG SIZE: C	SCALE: 1:1
SHEET 3 OF 3			

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT WRITTEN PERMISSION FROM AMPHENOL CANADA CORP.